


CX CX-P

1500/2150/2400/2800/3200



Remarks



SPREADING TABLES

IMPORTANT! Carefully read this manual before using the machine.

COSMO Srl
Via Laghi di Avigliana 117 - Busca 12022 - CN - Italy
Phone +39 0171 946654 - fax +39 0171 946723
e-mail: imcosmo@cosmosrl.com
www.cosmosrl.com


COPYRIGHT - © 2017

Reproduction interdite. Tous droits réservés. Aucune partie de ce manuel ne peut être reproduite ou diffusée, quel que soit le moyen (photocopie, microfilm ou autre) sans autorisation écrite de la société Cosmo Srl.

Copyright by Cosmo Srl. All rights reserved. No part of this may be reproduced in any form, by Photostat, microfilm, xerography or any other means, electronic or mechanical, without the written permission of the copyright owner. All the inquires should be addressed to Cosmo Srl.

SPREADING TABLES

CX
CX-P
1500/2150/2400/2800/3200





12 m

SPREADING TABLES

**CX
CX-P
1500/2150/2400/2800/3200**

NORMAL SPREADING

12 Meters



ADJUSTMENT TABLE

	P.T.O	N° holes per blade	Rev/min
1 AMMONIUM NITRATE 33,5% N		See W	500
2 UREA		See W	500
3 POTASSIUM CHLORIDE 60%		See W	500
4 SUPERPHOSPHATE 19		See W	500
5 UREA PRILLED AGRICOLA		See W	500
6 BIAMMONIUM PHOSPHATE 18-46		See W	500
7 NITRATE 27%		See W	500
8 NPK		See W	500

NORMAL SPREADING

12 Metres

1 AMMONIUM NITRATE 33,5% N

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.0	M	3	4	6	0	0	9.5
5	0.7	M	3	4	6	5	4	3
7.5	3.7	M	3	4	6	23	19	16
10	9.0	M	3	4	6	56	45	38
12.5	16.1	M	3	4	6	100	80	67
15	28.5	M	3	4	6	178	142	119
17.5	41.9	L	3	4	6	262	210	175
20	61.9	L	3	4	6	387	310	258
22.5	80.8	L	3	4	6	505	404	337
25	101.6	L	3	4	6	635	508	423
27.5	123.0	L	3	4	6	769	615	512
30	148.4	L	3	4	6	934	747	622
32.5	170.5	L	3	4	6	1066	853	711
35	191.7	L	3	4	6	1198	958	799
37.5	202.9	L	3	4	6	1268	1014	845
40	212.9	L	3	4	6	1330	1064	887
42.5	215.2	L	3	4	6	1345	1076	897
45	216.8	L	3	4	6	1355	1084	903

2 UREA

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.0	S	3	3	5	0	0	9.5
5	0.5	S	3	3	5	3	3	2
7.5	2.6	S	3	3	5	16	13	11
10	6.4	S	3	3	5	40	32	27
12.5	11.6	S	3	3	5	72	58	48
15	20.7	S	3	3	5	129	103	86
17.5	30.5	R	3	3	5	191	153	127
20	45.8	R	3	3	5	286	229	191
22.5	60.6	R	3	3	5	379	303	253
25	79.3	R	3	3	5	496	397	331
27.5	97.8	R	3	3	5	611	489	407
30	119.5	R	3	3	5	747	598	498
32.5	136.2	R	3	3	5	851	681	567
35	152.4	Q	3	3	5	952	762	635
37.5	163.4	Q	3	3	5	1021	817	681
40	174.4	Q	3	3	5	1090	872	727
42.5	182.0	Q	3	3	5	1137	910	758
45	187.0	Q	3	3	5	1169	935	779

3 POTASSIUM CHLORIDE 60%

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.0	F	2	5	5	0	0	0
5	0.7	F	2	5	5	4	3	3
7.5	3.4	F	2	5	5	21	17	14
10	8.9	F	2	5	5	56	45	37
12.5	16.7	F	2	5	5	105	84	70
15	29.5	F	2	5	5	185	148	123
17.5	43.1	F	2	5	5	270	216	180
20	63.9	E	2	5	5	400	320	266
22.5	85.2	E	2	5	5	532	426	355
25	116.6	E	2	5	5	729	583	486
27.5	144.3	E	2	5	5	902	721	601
30	172.0	E	2	5	5	1075	860	717
32.5	192.0	E	2	5	5	1200	960	800
35	210.4	E	2	5	5	1315	1052	877
37.5	224.0	E	2	5	5	1400	1120	933
40	237.7	E	2	5	5	1485	1188	990
42.5	246.6	E	2	5	5	1542	1233	1028
45	252.6	E	2	5	5	1579	1263	1053

4 SUPERPHOSPHATE 19

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.7	O	1	4	6	4	3	8.5
5	2.7	O	1	4	6	17	14	11
7.5	6	O	1	4	6	38	30	25
10	10.5	O	1	4	6	66	53	44
12.5	16.2	N	1	4	6	101	81	68
15	23.9	N	1	4	6	149	120	100
17.5	38.5	N	1	4	6	241	193	160
20	57.7	N	1	4	6	361	289	240
22.5	78.4	N	1	4	6	490	392	327
25	95.5	N	1	4	6	597	478	398
27.5	123.4	M	1	4	6	771	617	514
30	154.1	M	1	4	6	963	771	642
32.5	178.3	M	1	4	6	1114	892	743
35	212.8	M	1	4	6	1330	1064	887
37.5	248.8	M	1	4	6	1555	1244	1037
40	280	M	1	4	6	1750	1400	1167
42.5	298.8	M	1	4	6	1868	1494	1245
45	309	M	1	4	6	1931	1545	1288

5 UREA PRILLED AGRICOLA

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.7	O	1	3	6	4	3	9
5	2.2	O	1	3	6	14	11	9
7.5	6.0	O	1	3	6	37	30	25
10	12.6	O	1	3	6	79	63	53
12.5	21.6	N	1	3	6	135	108	90
15	34.5	N	1	3	6	216	173	144
17.5	47.8	N	1	3	6	299	239	199
20	68.3	N	1	3	6	427	342	285
22.5	87.8	N	1	3	6	549	439	366
25	109.1	N	1	3	6	682	545	454
27.5	127.8	M	1	3	6	799	639	532
30	146.8	M	1	3	6	917	734	612
32.5	163.2	M	1	3	6	1020	816	680
35	180.4	M	1	3	6	1128	902	752
37.5	193.4	M	1	3	6	1209	967	806
40	206.4	M	1	3	6	1300	1032	860
42.5	214.3	M	1	3	6	1399	1071	893
45	219.5	M	1	3	6	1372	1098	915

6 BIAMMONIUM PHOSPHATE 18-46

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			kg/ha	kg/ha	kg/ha	kg/ha	kg/ha	
2.5	0.6	M	2	4	5	4	3	3
5	2.4	M	2	4	5	15	12	10
7.5	5.3	M	2	4	5	33	27	22
10	9.3	M	2	4	5	58	47	39
12.5	14.3	M	2	4	5	89	72	60
15	20.1	M	2	4	5	126	101	84
17.5	32.8	L	2	4	5	205	164	137
20	48.5	L	2	4	5	303	243	202
22.5	67.8	L	2	4	5	424	339	283
25	82.6	L	2	4	5	516	413	344
27.5	107.6	L	2	4	5	673	538	448
30	135.6	L	2	4	5	848	678	565
32.5	167.4	L	2	4	5	1046	837	698
35	190	L	2	4	5	1188	950	792
37.5	222.4	L	2	4	5	1390	1112	927
40	253	L	2	4	5	1581	1265	1054
42.5	270	L	2	4	5	1688	1350	1125
45	279	L	2	4	5	1744	1395	1163

For the border spreading keep a distance from the edge of the field of 6 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

12 Metres

NITRATE 27%									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	W	kg/ha	kg/ha	kg/ha		
2.5	0.6	S	1	5	6	4	3	3	9.5
5	2.5	S	1	5	6	16	13	10	9.5
7.5	5.7	S	1	5	6	36	29	24	9.5
10	9.9	S	1	5	6	62	50	41	9.5
12.5	15.3	S	1	5	6	96	77	64	9.5
15	22.4	S	1	5	6	140	112	93	9.5
17.5	35	S	1	5	6	219	175	146	9.5
20	51.6	S	1	5	6	323	258	215	9.5
22.5	72.2	S	1	5	6	451	361	301	9.5
25	88	R	1	5	6	550	440	367	9.5
27.5	114.6	R	1	5	6	716	573	478	9.5
30	144.4	R	1	5	6	903	722	602	9
32.5	178.3	R	1	5	6	1114	892	743	9
35	202.4	R	1	5	6	1265	1012	843	9
37.5	236.7	R	1	5	6	1479	1184	986	9
40	269.5	R	1	5	6	1684	1348	1123	9
42.5	287.5	R	1	5	6	1797	1438	1198	9
45	297.2	R	1	5	6	1858	1486	1238	9

7

NPK									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	W	kg/ha	kg/ha	kg/ha		
2.5	0.0	U	1	5	6	0	0	0	9.5
5	1.1	U	1	5	6	7	5	5	9.5
7.5	5.5	U	1	5	6	34	27	23	9.5
10	13.1	U	1	5	6	82	65	55	9.5
12.5	23.3	T	1	5	6	145	116	97	9.5
15	36.2	T	1	5	6	226	181	151	9.5
17.5	48.9	T	1	5	6	306	245	204	9.5
20	69.8	T	1	5	6	436	349	291	9.5
22.5	90.9	T	1	5	6	568	455	379	9.5
25	121.3	T	1	5	6	758	606	505	9.5
27.5	147.6	T	1	5	6	923	738	615	9.5
30	173.6	S	1	5	6	1085	868	723	9.5
32.5	195.1	S	1	5	6	1219	975	813	9.5
35	217.0	S	1	5	6	1356	1085	904	9.5
37.5	232.1	S	1	5	6	1451	1160	967	9.5
40	247.2	S	1	5	6	1545	1236	1030	9.5
42.5	258.1	S	1	5	6	1613	1290	1075	9.5
45	265.3	S	1	5	6	1658	1326	1105	9.5

8

UREA GRANULATE YARA									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	6	8	10		
			W	W	kg/ha	kg/ha	kg/ha		
2.5	0.0	T	5	5	6	0	0	0	10
5	0.7	S	5	5	6	6	4	3	10
7.5	3.3	S	5	5	6	28	21	17	10
10	7.9	S	5	5	6	66	50	40	10
12.5	14.1	Q	5	5	6	118	88	71	10
15	22.0	P	5	5	6	183	137	110	10
17.5	29.7	P	5	5	6	248	186	149	10
20	42.4	O	5	5	6	353	265	212	10
22.5	55.2	O	5	5	6	460	345	276	10
25	73.6	O	5	5	6	614	460	368	9.5
27.5	89.6	O	5	5	6	747	560	448	9.5
30	105.4	O	5	5	6	878	659	527	9.5
32.5	118.4	O	5	5	6	987	740	592	9.5
35	131.8	N	5	5	6	1098	824	659	9.5
37.5	140.9	N	5	5	6	1174	881	705	9.5
40	150.1	N	5	5	6	1251	938	751	9.5
42.5	156.7	N	5	5	6	1306	979	783	9.5
45	161.1	N	5	5	6	1342	1007	805	9.5

9

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			W	W	kg/ha	kg/ha	kg/ha	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

10

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			W	W	kg/ha	kg/ha	kg/ha	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

11

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
			W	W	kg/ha	kg/ha	kg/ha	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

12

For the border spreading keep a distance from the edge of the field of 6 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.



15 m

SPREADING TABLES

**CX
CX-P
1500/2150/2400/2800/3200**

NORMAL SPREADING

15 Metres



ADJUSTMENT TABLE

			P.T.O Rev/min			
				N° holes per blade	See W	540
				See drop point	See W	540
				See drop point	See W	540
				See drop point	See W	540
				See drop point	See W	540
				See drop point	See W	540
				See drop point	See W	540

1 AMMONIUM NITRATE 33,5% N

2 UREA

3 POTASSIUM CHLORIDE 60%

4 SUPERPHOSPHATE 19

5 UREA PRILLED AGRICOLA

6 BIAMMONIUM PHOSPHATE 18-46

7 NITRATE 27%

8 NPK

NORMAL SPREADING

15 Metres

AMMONIUM NITRATE 33,5% N									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.0	M	3	4	6	0	0	0	9
5	0.7	M	3	4	6	4	3	2	9
7.5	3.7	M	3	4	6	19	15	12	9
10	9.0	M	3	4	6	45	36	30	9
12.5	16.1	M	3	4	6	80	64	54	9
15	28.5	M	3	4	6	142	114	95	9
17.5	41.9	L	3	4	6	210	168	140	9
20	61.9	L	3	4	6	310	248	206	9
22.5	80.8	L	3	4	6	404	323	269	8.5
25	101.6	L	3	4	6	508	406	339	8.5
27.5	123.0	L	3	4	6	615	492	410	8.5
30	148.4	L	3	4	6	747	598	498	8.5
32.5	170.5	L	3	4	6	853	682	568	8.5
35	191.7	L	3	4	6	958	767	639	8.5
37.5	202.9	L	3	4	6	1014	812	676	8.5
40	212.9	L	3	4	6	1064	851	710	8.5
42.5	215.2	L	3	4	6	1076	861	717	8.5
45	216.8	L	3	4	6	1084	867	723	8.5

1

UREA									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.0	S	3	3	5	0	0	0	9.5
5	0.5	S	3	3	5	3	2	2	9.5
7.5	2.6	S	3	3	5	13	10	9	9.5
10	6.4	S	3	3	5	32	26	21	9.5
12.5	11.6	S	3	3	5	58	46	39	9.5
15	20.7	S	3	3	5	103	83	69	9.5
17.5	30.5	R	3	3	5	153	122	102	9.5
20	45.8	R	3	3	5	229	183	153	9.5
22.5	60.6	R	3	3	5	303	243	202	9.5
25	79.3	R	3	3	5	397	317	264	9.5
27.5	97.8	R	3	3	5	489	391	326	9
30	119.5	R	3	3	5	598	478	398	9
32.5	136.2	R	3	3	5	681	545	454	9
35	152.4	Q	3	3	5	762	609	508	9
37.5	163.4	Q	3	3	5	817	653	545	9
40	174.4	Q	3	3	5	872	698	581	9
42.5	182.0	Q	3	3	5	910	728	607	9
45	187.0	Q	3	3	5	935	748	623	9

2

POTASSIUM CHLORIDE 60%									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.0	F	2	5	5	0	0	0	8
5	0.7	F	2	5	5	3	3	2	8
7.5	3.4	F	2	5	5	17	14	11	8
10	8.9	F	2	5	5	45	36	30	8
12.5	16.7	F	2	5	5	84	67	56	8
15	29.5	F	2	5	5	148	118	98	8
17.5	43.1	F	2	5	5	216	173	144	8
20	63.9	E	2	5	5	320	256	213	8
22.5	85.2	E	2	5	5	426	341	284	8
25	116.6	E	2	5	5	583	466	389	8
27.5	144.3	E	2	5	5	721	577	481	7.5
30	172.0	E	2	5	5	860	688	573	7.5
32.5	192.0	E	2	5	5	960	768	640	7.5
35	210.4	E	2	5	5	1052	842	701	7.5
37.5	224.0	E	2	5	5	1120	896	747	7.5
40	237.7	E	2	5	5	1188	951	792	7.5
42.5	246.6	E	2	5	5	1233	987	822	7.5
45	252.6	E	2	5	5	1263	1011	842	7.5

3

SUPERPHOSPHATE 19									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.7	O	1	4	6	4	3	2	8
5	2.7	O	1	4	6	14	11	9	8
7.5	6	O	1	4	6	30	24	20	8
10	10.5	O	1	4	6	53	42	35	8
12.5	16.2	N	1	4	6	81	65	54	8
15	23.9	N	1	4	6	120	96	80	8
17.5	38.5	N	1	4	6	193	154	128	8
20	57.7	N	1	4	6	289	231	192	8
22.5	78.4	N	1	4	6	392	314	261	7.5
25	95.5	N	1	4	6	478	382	318	7.5
27.5	123.4	M	1	4	6	617	494	411	7.5
30	154.1	M	1	4	6	771	616	514	7.5
32.5	178.3	M	1	4	6	892	713	594	7.5
35	212.8	M	1	4	6	1064	851	709	7.5
37.5	248.8	M	1	4	6	1244	995	829	7.5
40	280	M	1	4	6	1400	1120	933	7.5
42.5	298.8	M	1	4	6	1494	1195	996	7.5
45	309	M	1	4	6	1545	1236	1030	7.5

4

UREA PRILLED AGRICOLA									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.7	O	1	3	6	3	3	2	8.5
5	2.2	O	1	3	6	11	9	7	8.5
7.5	6.0	O	1	3	6	30	24	20	8.5
10	12.6	O	1	3	6	63	51	42	8.5
12.5	21.6	N	1	3	6	108	86	72	8.5
15	34.5	N	1	3	6	173	138	115	8.5
17.5	47.8	N	1	3	6	239	191	159	8.5
20	68.3	N	1	3	6	342	273	228	8.5
22.5	87.8	N	1	3	6	439	351	293	8
25	109.1	N	1	3	6	545	436	364	8
27.5	127.8	M	1	3	6	639	511	426	8
30	146.8	M	1	3	6	734	587	489	8
32.5	163.2	M	1	3	6	816	653	544	8
35	180.4	M	1	3	6	902	722	601	8
37.5	193.4	M	1	3	6	967	774	645	8
40	206.4	M	1	3	6	1032	826	688	8
42.5	214.3	M	1	3	6	1071	857	714	8
45	219.5	M	1	3	6	1098	878	732	8

5

BIAMMONIUM PHOSPHATE 18-46									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
			W	kg/ha	kg/ha	kg/ha			
2.5	0.6	M	2	4	5	3	2	2	9
5	2.4	M	2	4	5	12	10	8	9
7.5	5.3	M	2	4	5	27	21	18	9
10	9.3	M	2	4	5	47	37	31	9
12.5	14.3	M	2	4	5	72	57	48	9
15	20.1	M	2	4	5	101	80	67	9
17.5	32.8	L	2	4	5	164	131	109	9
20	48.5	L	2	4	5	243	194	162	9
22.5	67.8	L	2	4	5	339	271	226	9
25	82.6	L	2	4	5	413	330	275	9
27.5	107.6	L	2	4	5	538	430	359	9
30	135.6	L	2	4	5	678	542	452	9
32.5	167.4	L	2	4	5	837	670	558	9
35	190	L	2	4	5	950	760	633	9
37.5	222.4	L	2	4	5	1112	890	741	9
40	253	L	2	4	5	1265	1012	843	9
42.5	270	L	2	4	5	1350	1080	900	9
45	279	L	2	4	5	1395	1116	930	9

6

For the border spreading keep a distance from the edge of the field of 7.5 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

15 Metres

NITRATE 27%									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2.5	0.6	S	1	5	6	3	2	2	9
5	2.5	S	1	5	6	13	10	8	9
7.5	5.7	S	1	5	6	29	23	19	9
10	9.9	S	1	5	6	50	40	33	9
12.5	15.3	S	1	5	6	77	61	51	9
15	22.4	S	1	5	6	112	90	75	9
17.5	35	S	1	5	6	175	140	117	9
20	51.6	S	1	5	6	258	206	172	9
22.5	72.2	S	1	5	6	361	289	241	9
25	88	R	1	5	6	440	352	293	9
27.5	114.6	R	1	5	6	573	458	382	9
30	144.4	R	1	5	6	722	578	481	9
32.5	178.3	R	1	5	6	892	713	594	9
35	202.4	R	1	5	6	1012	810	675	9
37.5	236.7	R	1	5	6	1184	947	789	9
40	269.5	R	1	5	6	1348	1078	898	9
42.5	287.5	R	1	5	6	1438	1150	958	9
45	297.2	R	1	5	6	1486	1189	991	9

7

NPK									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2.5	0.0	U	1	5	6	0	0	0	9
5	1.1	U	1	5	6	5	4	4	9
7.5	5.5	U	1	5	6	27	22	18	9
10	13.1	U	1	5	6	65	52	44	9
12.5	23.3	T	1	5	6	116	93	78	9
15	36.2	T	1	5	6	181	145	121	9
17.5	48.9	T	1	5	6	245	196	163	9
20	69.8	T	1	5	6	349	279	233	9
22.5	90.9	T	1	5	6	455	364	303	9
25	121.3	T	1	5	6	606	485	404	9
27.5	147.6	T	1	5	6	738	590	492	9
30	173.6	S	1	5	6	868	694	579	9
32.5	195.1	S	1	5	6	975	780	650	9
35	217.0	S	1	5	6	1085	868	723	9
37.5	232.1	S	1	5	6	1160	928	774	9
40	247.2	S	1	5	6	1236	989	824	9
42.5	258.1	S	1	5	6	1290	1032	860	9
45	265.3	S	1	5	6	1326	1061	884	9

8

UREA GRANULATE YARA									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	6	8		10
2.5	0.0	T	5	5	6	0	0	0	9.5
5	0.7	S	5	5	6	4	3	3	9.5
7.5	3.3	S	5	5	6	22	17	13	9.5
10	7.9	S	5	5	6	53	40	32	9.5
12.5	14.1	Q	5	5	6	94	71	56	9.5
15	22.0	P	5	5	6	147	110	88	9.5
17.5	29.7	P	5	5	6	198	149	119	9.5
20	42.4	O	5	5	6	282	212	169	9.5
22.5	55.2	O	5	5	6	368	276	221	9.5
25	73.6	O	5	5	6	491	368	295	9
27.5	89.6	O	5	5	6	598	448	359	9
30	105.4	O	5	5	6	703	527	422	9
32.5	118.4	O	5	5	6	790	592	474	9
35	131.8	N	5	5	6	879	659	527	9
37.5	140.9	N	5	5	6	939	705	564	9
40	150.1	N	5	5	6	1001	751	600	9
42.5	156.7	N	5	5	6	1045	783	627	9
45	161.1	N	5	5	6	1074	805	644	9

9

UREA PRILLED Fertilberia									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	6	8		10
2.5	0.0	N	1	4	6	0	0	0	8
5	0.8	N	1	4	6	6	4	3	8
7.5	4.2	N	1	4	6	28	21	17	8
10	10.1	M	1	4	6	67	50	40	8
12.5	17.9	M	1	4	6	119	90	72	8
15	27.9	M	1	4	6	186	140	112	8
17.5	37.7	M	1	4	6	251	189	151	8
20	53.8	M	1	4	6	359	269	215	8
22.5	70.1	M	1	4	6	467	350	280	8
25	93.5	L	1	4	6	623	467	374	8
27.5	113.8	L	1	4	6	759	569	455	8
30	133.8	L	1	4	6	892	669	535	8
32.5	150.4	L	1	4	6	1002	752	601	8
35	167.3	L	1	4	6	1115	836	669	8
37.5	178.9	L	1	4	6	1193	894	716	8
40	190.6	L	1	4	6	1270	953	762	8
42.5	198.9	L	1	4	6	1326	995	796	8
45	204.5	L	1	4	6	1363	1022	818	8

10

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	W	8	10	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

11

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	W	8	10	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

12

For the border spreading keep a distance from the edge of the field of 7.5 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

18 m

SPREADING TABLES

CX
CX-P
1500/2150/2400/2800/3200

NORMAL SPREADING

18 Metres

AMMONIUM NITRATE 33,5% N										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,0	P	2	3	6	0	0	0	8,5	
5	0,7	P	2	3	6	3	2	2	8,5	
7,5	3,7	P	2	3	6	16	12	10	8,5	
10	9,0	P	2	3	6	38	30	25	8,5	
12,5	16,1	P	2	3	6	67	54	45	8,5	
15	28,5	O	2	3	6	119	95	79	8,5	
17,5	41,9	O	2	3	6	175	140	116	8,5	
20	61,9	N	2	3	6	258	206	172	8,5	
22,5	80,8	N	2	3	6	337	269	225	8,5	
25	101,6	N	2	3	6	423	339	282	8	
27,5	123,0	N	2	3	6	512	410	342	8	
30	148,4	M	2	3	6	622	498	415	8	
32,5	170,5	M	2	3	6	711	568	474	8	
35	191,7	M	2	3	6	799	639	532	8	
37,5	202,9	M	2	3	6	845	676	564	8	
40	212,9	L	2	3	6	887	710	591	8	
42,5	215,2	L	2	3	6	897	717	598	8	
45	216,8	L	2	3	6	903	723	602	8	

1

UREA										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,0	T	2	4	5	0	0	0	9	
5	0,5	T	2	4	5	2	2	1	9	
7,5	2,6	T	2	4	5	11	9	7	9	
10	6,4	T	2	4	5	27	21	18	9	
12,5	11,6	R	2	4	5	48	39	32	9	
15	20,7	S	2	4	5	86	69	57	9	
17,5	30,5	Q	2	4	5	127	102	85	9	
20	45,8	Q	2	4	5	191	153	127	9	
22,5	60,6	O	2	4	5	253	202	168	8,5	
25	79,3	O	2	4	5	331	264	220	8,5	
27,5	97,8	O	2	4	5	407	326	272	8,5	
30	119,5	O	2	4	5	498	398	332	8,5	
32,5	136,2	O	2	4	5	567	454	378	8,5	
35	152,4	M	2	4	5	635	508	423	8,5	
37,5	163,4	M	2	4	5	681	545	454	8,5	
40	174,4	M	2	4	5	727	581	484	8,5	
42,5	182,0	M	2	4	5	758	607	505	8,5	
45	187,0	M	2	4	5	779	623	520	8,5	

2

POTASSIUM CHLORIDE 60%										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,0	G	1	5	5	0	0	0	7,5	
5	0,7	G	1	5	5	3	2	2	7,5	
7,5	3,4	G	1	5	5	14	11	10	7,5	
10	8,9	G	1	5	5	37	30	25	7,5	
12,5	16,7	G	1	5	5	70	56	46	7,5	
15	29,5	F	1	5	5	123	98	82	7,5	
17,5	43,1	F	1	5	5	180	144	120	7	
20	63,9	F	1	5	5	266	213	178	7	
22,5	85,2	F	1	5	5	355	284	237	7	
25	116,6	F	1	5	5	486	389	324	7	
27,5	144,3	F	1	5	5	601	481	401	7	
30	172,0	F	1	5	5	717	573	478	7	
32,5	192,0	F	1	5	5	800	640	533	7	
35	210,4	E	1	5	5	877	701	585	7	
37,5	224,0	E	1	5	5	933	747	622	7	
40	237,7	E	1	5	5	990	792	660	7	
42,5	246,6	E	1	5	5	1028	822	685	7	
45	252,6	E	1	5	5	1053	842	702	7	

3

SUPERPHOSPHATE 19										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,7	S	1	4	5	3	2	2	7,5	
5	2,7	S	1	4	5	11	9	8	7,5	
7,5	6	S	1	4	5	25	20	17	7,5	
10	10,5	S	1	4	5	44	35	29	7,5	
12,5	16,2	S	1	4	5	68	54	45	7,5	
15	23,9	Q	1	4	5	100	80	66	7,5	
17,5	38,5	Q	1	4	5	160	128	107	7,5	
20	57,7	Q	1	4	5	240	192	160	7	
22,5	78,4	Q	1	4	5	327	261	218	7	
25	95,5	Q	1	4	5	398	318	265	7	
27,5	123,4	Q	1	4	5	514	411	343	7	
30	154,1	M	1	4	5	642	514	428	7	
32,5	178,3	M	1	4	5	743	594	495	7	
35	212,8	M	1	4	5	887	709	591	7	
37,5	248,8	M	1	4	5	1037	829	691	7	
40	280	M	1	4	5	1167	933	778	7	
42,5	298,8	M	1	4	5	1245	996	830	7	
45	309	M	1	4	5	1288	1030	858	7	

4

UREA PRILLED AGRICOLA										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,7	S	1	3	6	3	2	2	7,5	
5	2,2	S	1	3	6	9	7	6	7,5	
7,5	6,0	S	1	3	6	25	20	17	7,5	
10	12,6	Q	1	3	6	53	42	35	7,5	
12,5	21,6	Q	1	3	6	90	72	60	7,5	
15	34,5	Q	1	3	6	144	115	96	7,5	
17,5	47,8	M	1	3	6	199	159	133	7,5	
20	68,3	M	1	3	6	285	228	190	7,5	
22,5	87,8	M	1	3	6	366	293	244	7,5	
25	109,1	M	1	3	6	454	364	303	7	
27,5	127,8	M	1	3	6	532	426	355	7	
30	146,8	I	1	3	6	612	489	408	7	
32,5	163,2	I	1	3	6	680	544	453	7	
35	180,4	I	1	3	6	752	601	501	7	
37,5	193,4	I	1	3	6	806	645	537	7	
40	206,4	I	1	3	6	860	688	573	7	
42,5	214,3	I	1	3	6	893	714	595	7	
45	219,5	I	1	3	6	915	732	610	7	

5

BIAMMONIUM PHOSPHATE 18-46										
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.		
			A	B	8	10	12			
			W	kg/ha	kg/ha	kg/ha				
2,5	0,6	O	2	5	6	3	2	2	9	
5	2,4	O	2	5	6	10	8	7	9	
7,5	5,3	O	2	5	6	22	18	15	9	
10	9,3	O	2	5	6	39	31	26	9	
12,5	14,3	N	2	5	6	60	48	40	9	
15	20,1	N	2	5	6	84	67	56	9	
17,5	32,8	N	2	5	6	137	109	91	9	
20	48,5	N	2	5	6	202	162	135	9	
22,5	67,8	N	2	5	6	283	226	188	9	
25	82,6	N	2	5	6	344	275	229	9	
27,5	107,6	N	2	5	6	448	359	299	9	
30	135,6	M	2	5	6	565	452	377	8,5	
32,5	167,4	M	2	5	6	698	558	465	8,5	
35	190	M	2	5	6	792	633	528	8,5	
37,5	222,4	M	2	5	6	927	741	618	8,5	
40	253	L	2	5	6	1054	843	703	8,5	
42,5	270	L	2	5	6	1125	900	750	8,5	
45	279	L	2	5	6	1163	930	775	8,5	

6

For the border spreading keep a distance from the edge of the field of 9 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

18 Metres

Opening lever	NITRATE 27%		Drop point	Blade position		Speed (km/h)			Border deflector position.	
	A	B		A	B	8	10	12		
	kg/ha			kg/ha						
2.5	0.6	6	P	2	4	6	3	2	2	9
5	2.5	6	P	2	4	6	10	8	7	9
7.5	5.7	6	N	2	4	6	24	19	16	9
10	9.9	6	N	2	4	6	41	33	28	9
12.5	15.3	6	N	2	4	6	64	51	43	9
15	22.4	6	M	2	4	6	93	75	62	9
17.5	35	6	M	2	4	6	146	117	97	9
20	51.6	6	M	2	4	6	215	172	143	9
22.5	72.2	6	M	2	4	6	301	241	201	9
25	88	6	M	2	4	6	367	293	244	9
27.5	114.6	6	M	2	4	6	478	382	318	8.5
30	144.4	6	M	2	4	6	602	481	401	8.5
32.5	178.3	6	L	2	4	6	743	594	495	8.5
35	202.4	6	L	2	4	6	843	675	562	8.5
37.5	236.7	6	L	2	4	6	986	789	658	8.5
40	269.5	6	H	2	4	6	1123	898	749	8.5
42.5	287.5	6	H	2	4	6	1198	958	799	8.5
45	297.2	6	H	2	4	6	1238	991	826	8.5

7

Opening lever	NPK		Drop point	Blade position		Speed (km/h)			Border deflector position.
	A	B		A	B	8	10	12	
	kg/ha			kg/ha					
2.5	0.0	Q	2	4	5	0	0	0	9
5	1.1	Q	2	4	5	5	4	3	9
7.5	5.5	Q	2	4	5	23	18	15	9
10	13.1	Q	2	4	5	55	44	36	9
12.5	23.3	P	2	4	5	97	78	65	9
15	36.2	P	2	4	5	151	121	101	9
17.5	48.9	N	2	4	5	204	163	136	9
20	69.8	M	2	4	5	291	233	194	8.5
22.5	90.9	M	2	4	5	379	303	253	8.5
25	121.3	M	2	4	5	505	404	337	8.5
27.5	147.6	L	2	4	5	615	492	410	8.5
30	173.6	L	2	4	5	723	579	482	8.5
32.5	195.1	H	2	4	5	813	650	542	8.5
35	217.0	H	2	4	5	904	723	603	8.5
37.5	232.1	H	2	4	5	967	774	645	8.5
40	247.2	G	2	4	5	1030	824	687	8.5
42.5	258.1	G	2	4	5	1075	860	717	8.5
45	265.3	G	2	4	5	1105	884	737	8.5

8

Opening lever	N.A.C. Feribertia		Drop point	Blade position		Speed (km/h)			Border deflector position.
	A	B		A	B	6	8	10	
	kg/ha			kg/ha					
2.5	0.0	P	2	4	6	0	0	0	9
5	1.0	O	2	4	6	6	4	3	9
7.5	5.0	O	2	4	6	28	21	17	9
10	12.0	O	2	4	6	67	50	40	9
12.5	21.4	O	2	4	6	119	89	71	9
15	33.3	N	2	4	6	185	139	111	9
17.5	45.0	N	2	4	6	250	187	150	8.5
20	64.1	N	2	4	6	356	267	214	8.5
22.5	83.5	N	2	4	6	464	348	278	8.5
25	111.4	N	2	4	6	619	464	371	8.5
27.5	135.6	N	2	4	6	754	565	452	8.5
30	159.5	M	2	4	6	886	664	532	8.5
32.5	179.2	M	2	4	6	996	747	597	8.5
35	199.4	M	2	4	6	1108	831	665	8.5
37.5	213.2	M	2	4	6	1185	888	711	8.5
40	227.2	M	2	4	6	1262	946	757	8.5
42.5	237.1	L	2	4	6	1317	988	790	8.5
45	243.7	L	2	4	6	1354	1016	812	8.5

9

Opening lever	N.A.C. Prilled		Drop point	Blade position		Speed (km/h)			Border deflector position.
	A	B		A	B	6	8	10	
	kg/ha			kg/ha					
2.5	0.0	O	2	4	6	0	0	0	9
5	1.2	O	2	4	6	6	5	4	9
7.5	5.8	O	2	4	6	32	24	19	9
10	14.0	O	2	4	6	78	58	47	9
12.5	24.9	N	2	4	6	138	104	83	9
15	38.7	N	2	4	6	215	161	129	9
17.5	52.4	N	2	4	6	291	218	175	9
20	74.7	N	2	4	6	415	311	249	9
22.5	97.3	N	2	4	6	541	405	324	8.5
25	129.8	N	2	4	6	721	541	433	8.5
27.5	158.0	N	2	4	6	878	658	527	8.5
30	185.8	M	2	4	6	1032	774	619	8.5
32.5	208.8	M	2	4	6	1160	870	696	8.5
35	232.3	M	2	4	6	1291	968	774	8.5
37.5	248.4	L	2	4	6	1380	1035	828	8.5
40	264.6	L	2	4	6	1470	1103	882	8.5
42.5	276.2	L	2	4	6	1535	1151	921	8.5
45	283.9	L	2	4	6	1577	1183	946	8.5

10

Opening lever	AMMONIUM SULFATE granulate		Drop point	Blade position		Speed (km/h)			Border deflector position.
	A	B		A	B	6	8	10	
	kg/ha			kg/ha					
2.5	0.0	O	2	5	6	0	0	0	9
5	1.1	N	2	5	6	6	5	4	9
7.5	5.6	N	2	5	6	31	23	19	9
10	13.4	N	2	5	6	75	56	45	9
12.5	23.9	M	2	5	6	133	99	80	9
15	37.1	M	2	5	6	206	155	124	9
17.5	50.2	M	2	5	6	279	209	167	9
20	71.6	M	2	5	6	398	298	239	9
22.5	93.3	M	2	5	6	518	389	311	9
25	124.5	M	2	5	6	691	519	415	9
27.5	151.5	M	2	5	6	842	631	505	9
30	178.1	L	2	5	6	990	742	594	8.5
32.5	200.2	L	2	5	6	1112	834	667	8.5
35	222.7	L	2	5	6	1237	928	742	8.5
37.5	238.2	L	2	5	6	1323	992	794	8.5
40	253.7	L	2	5	6	1410	1057	846	8.5
42.5	264.8	G	2	5	6	1471	1103	883	8.5
45	272.2	G	2	5	6	1512	1134	907	8.5

11

Opening lever	N.P.K. Fines YARA		Drop point	Blade position		Speed (km/h)			Border deflector position.
	A	B		A	B	6	8	10	
	kg/ha			kg/ha					
2.5	0.0	N	3	5	6	0	0	0	7.5
5	1.1	N	3	5	6	6	5	4	7.5
7.5	5.4	N	3	5	6	30	23	18	7.5
10	13.0	M	3	5	6	72	54	43	7.5
12.5	23.2	M	3	5	6	129	97	77	7.5
15	36.1	M	3	5	6	200	150	120	7.5
17.5	48.8	M	3	5	6	271	203	163	7.5
20	69.5	M	3	5	6	386	290	232	7.5
22.5	90.6	M	3	5	6	503	378	302	7.5
25	120.9	M	3	5	6	672	504	403	7
27.5	147.1	L	3	5	6	817	613	490	7
30	173.0	L	3	5	6	961	721	577	7
32.5	194.4	L	3	5	6	1080	810	648	7
35	216.3	L	3	5	6	1202	901	721	7
37.5	231.3	L	3	5	6	1285	964	771	7
40	246.4	L	3	5	6	1369	1027	821	7
42.5	257.2	L	3	5	6	1429	1072	857	7
45	264.4	L	3	5	6	1469	1102	881	7

12

For the border spreading keep a distance from the edge of the field of 9 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

18 Metres

13	N.P.K. Fertilberia									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0	O	2	4	6	0	0	0	9	
5	0,991	O	2	4	6	6	4	3	9	
7.5	4,955	O	2	4	6	28	21	17	9	
10	11,89	O	2	4	6	66	50	40	9	
12.5	21,12	N	2	4	6	117	88	70	9	
15	32,88	N	2	4	6	183	137	110	9	
17.5	44,46	N	2	4	6	247	185	148	9	
20	63,38	N	2	4	6	352	264	211	9	
22.5	82,59	N	2	4	6	459	344	275	8,5	
25	110,2	N	2	4	6	612	459	367	8,5	
27.5	134,1	M	2	4	6	745	559	447	8,5	
30	157,7	M	2	4	6	876	657	526	8,5	
32.5	177,2	M	2	4	6	985	738	591	8,5	
35	197,2	L	2	4	6	1095	822	657	8,5	
37.5	210,8	L	2	4	6	1171	879	703	8,5	
40	224,6	L	2	4	6	1248	936	749	8,5	
42.5	234,5	L	2	4	6	1303	977	782	8,5	
45	241	L	2	4	6	1339	1004	803	8,5	

14	N.P.K. Mirat; Agrimartin									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0,0	P	4	5	6	0	0	0	7	
5	1,3	O	4	5	6	7	5	4	7	
7.5	6,4	O	4	5	6	36	27	21	7	
10	15,4	O	4	5	6	86	64	51	7	
12.5	27,6	O	4	5	6	152	114	91	7	
15	42,6	N	4	5	6	237	178	142	7	
17.5	57,6	N	4	5	6	320	240	192	7	
20	82,1	N	4	5	6	456	342	274	7	
22.5	107,0	N	4	5	6	594	446	357	7	
25	142,8	N	4	5	6	793	595	476	7	
27.5	173,8	N	4	5	6	965	724	579	6,5	
30	204,3	M	4	5	6	1135	851	681	6,5	
32.5	229,6	M	4	5	6	1276	957	765	6,5	
35	255,4	M	4	5	6	1419	1064	851	6,5	
37.5	273,2	M	4	5	6	1518	1138	911	6,5	
40	291,0	L	4	5	6	1617	1213	970	6,5	
42.5	303,7	L	4	5	6	1687	1266	1012	6,5	
45	312,2	L	4	5	6	1735	1301	1041	6,5	


15	N.A.C. Integral Espagnola									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0,0	P	4	4	6	0	0	0	7	
5	1,3	P	4	4	6	7	6	4	7	
7.5	6,7	P	4	4	6	37	28	21	7	
10	16,0	P	4	4	6	89	67	50	7	
12.5	28,4	O	4	4	6	158	118	89	7	
15	44,2	O	4	4	6	246	184	138	7	
17.5	59,8	O	4	4	6	332	249	187	7	
20	85,2	O	4	4	6	473	355	266	7	
22.5	111,0	O	4	4	6	617	463	347	7	
25	148,1	O	4	4	6	823	617	463	7	
27.5	190,3	O	4	4	6	1001	751	563	7	
30	212,0	N	4	4	6	1178	883	662	7	
32.5	238,2	N	4	4	6	1323	993	744	7	
35	285,0	N	4	4	6	1472	1104	828	7	
37.5	283,4	N	4	4	6	1574	1181	886	7	
40	301,9	N	4	4	6	1677	1258	943	6,5	
42.5	315,1	M	4	4	6	1751	1313	985	6,5	
45	323,9	M	4	4	6	1800	1350	1012	6,5	

16	ENITEC 20-10-10									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0,0	O	3	4	6	0	0	0	9	
5	1,0	O	3	4	6	6	4	3	9	
7.5	5,1	O	3	4	6	28	21	17	9	
10	12,2	O	3	4	6	68	51	41	9	
12.5	21,6	O	3	4	6	120	90	72	9	
15	33,7	O	3	4	6	187	140	112	9	
17.5	45,5	N	3	4	6	253	190	152	9	
20	64,9	N	3	4	6	361	271	216	9	
22.5	84,6	N	3	4	6	470	353	282	9	
25	112,9	N	3	4	6	627	470	376	9	
27.5	137,4	N	3	4	6	763	572	458	9	
30	161,5	N	3	4	6	897	673	538	9	
32.5	181,5	M	3	4	6	1008	756	605	8,5	
35	202,0	M	3	4	6	1122	842	673	8,5	
37.5	216,0	M	3	4	6	1200	900	720	8,5	
40	230,1	M	3	4	6	1278	959	767	8,5	
42.5	240,1	M	3	4	6	1334	1001	800	8,5	
45	246,9	M	3	4	6	1371	1029	823	8,5	

17	UREA PRILLED Fertilberia									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0,0	P	1	4	6	0	0	0	7,5	
5	0,8	N	1	4	6	5	4	3	7,5	
7.5	4,2	N	1	4	6	23	18	14	7,5	
10	10,1	M	1	4	6	56	42	34	7,5	
12.5	17,9	M	1	4	6	100	75	60	7,5	
15	27,9	M	1	4	6	155	116	93	7,5	
17.5	37,7	M	1	4	6	210	157	118	7,5	
20	53,8	M	1	4	6	299	224	179	7	
22.5	70,1	M	1	4	6	389	292	234	7	
25	93,5	L	1	4	6	519	390	312	7	
27.5	113,8	L	1	4	6	632	474	379	7	
30	133,8	L	1	4	6	743	557	446	7	
32.5	150,4	L	1	4	6	835	627	501	7	
35	167,3	L	1	4	6	929	697	558	7	
37.5	178,9	L	1	4	6	994	745	596	7	
40	190,6	L	1	4	6	1059	794	635	7	
42.5	198,9	L	1	4	6	1105	829	663	7	
45	204,5	L	1	4	6	1136	852	682	7	

18	AGROMARTIN PELLETT									
	Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
				A	B	W	6	8		10
2.5	0,0	N	3	4	6	0	0	0	8	
5	0,4	N	3	4	6	2	2	1	8	
7.5	2,0	N	3	4	6	11	8	7	8	
10	4,8	N	3	4	6	27	20	16	8	
12.5	8,6	N	3	4	6	48	36	29	8	
15	13,4	N	3	4	6	74	56	45	8	
17.5	18,1	N	3	4	6	101	75	60	8	
20	25,8	N	3	4	6	143	108	86	8	
22.5	33,6	N	3	4	6	187	140	112	8	
25	44,9	N	3	4	6	249	187	150	8	
27.5	54,6	N	3	4	6	303	227	182	8	
30	64,2	M	3	4	6	357	267	214	8	
32.5	72,1	M	3	4	6	401	301	240	8	
35	80,3	M	3	4	6	446	334	268	8	
37.5	85,8	M	3	4	6	477	358	286	8	
40	91,4	M	3	4	6	508	381	305	8	
42.5	95,4	M	3	4	6	530	398	318	8	
45	98,1	M	3	4	6	545	409	327	8	

For the border spreading keep a distance from the edge of the field of 9 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.





20 m

SPREADING TABLES




**CX
CX-P
1500/2150/2400/2800/3200**



NORMAL SPREADING

20 Metres



ADJUSTMENT TABLE

				P.T.O
1	AMMONIUM NITRATE 33,5% N	See drop point	See W	550
2	UREA	See drop point	See W	540
3	POTASSIUM CHLORIDE 60%	See drop point	See W	550
4	SUPERPHOSPHATE 19	See drop point	See W	550
5	UREA PRILLED AGRICOLA	See drop point	See W	540
6	BIAMMONIUM PHOSPHATE 18-46	See drop point	See W	550
7	NITRATE 27%	See drop point	See W	550
8	NPK	See drop point	See W	550



P.T.O

Rev/min

N° holes per blade

See W

See W

See W

See W

See W

See W

See W

See W

See drop point

See drop point

See drop point

See drop point

See drop point

See drop point

See drop point

See drop point

AMMONIUM NITRATE 33,5% N

UREA

POTASSIUM CHLORIDE 60%

SUPERPHOSPHATE 19

UREA PRILLED AGRICOLA

BIAMMONIUM PHOSPHATE 18-46

NITRATE 27%

NPK

NORMAL SPREADING

20 Metres

AMMONIUM NITRATE 33,5% N												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						
2,5	0,0	T	1	4	6	0	0	0	7,5			
5	0,7	T	1	4	6	3	2	2	7,5			
7,5	3,7	T	1	4	6	14	11	9	7,5			
10	9,0	T	1	4	6	34	27	23	7,5			
12,5	16,1	T	1	4	6	60	48	40	7,5			
15	28,5	Q	1	4	6	107	85	71	7,5			
17,5	41,9	Q	1	4	6	157	126	105	7,5			
20	61,9	Q	1	4	6	232	186	155	7,5			
22,5	80,8	Q	1	4	6	303	243	202	7,5			
25	101,6	Q	1	4	6	381	305	254	7,5			
27,5	123,0	N	1	4	6	461	369	307	7			
30	148,4	N	1	4	6	560	448	373	7			
32,5	170,5	N	1	4	6	639	512	426	7			
35	191,7	M	1	4	6	719	575	479	7			
37,5	202,9	M	1	4	6	761	609	507	7			
40	212,9	M	1	4	6	798	639	532	7			
42,5	215,2	L	1	4	6	807	646	538	7			
45	216,8	L	1	4	6	813	650	542	7			

UREA												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						
2,5	0,0	U	1	3	5	0	0	0	8,5			
5	0,5	U	1	3	5	2	2	1	8,5			
7,5	2,6	U	1	3	5	10	8	6	8,5			
10	6,4	U	1	3	5	24	19	16	8,5			
12,5	11,6	U	1	3	5	43	35	29	8,5			
15	20,7	T	1	3	5	78	62	52	8,5			
17,5	30,5	T	1	3	5	115	92	76	8,5			
20	45,8	T	1	3	5	172	137	114	8,5			
22,5	60,6	T	1	3	5	227	182	152	8,5			
25	79,3	Q	1	3	5	297	238	198	8,5			
27,5	97,8	Q	1	3	5	367	293	244	8,5			
30	119,5	Q	1	3	5	448	359	299	8,5			
32,5	136,2	Q	1	3	5	511	409	340	8,5			
35	152,4	Q	1	3	5	571	457	381	8,5			
37,5	163,4	P	1	3	5	613	490	408	8,5			
40	174,4	P	1	3	5	654	523	436	8,5			
42,5	182,0	P	1	3	5	682	546	455	8,5			
45	187,0	P	1	3	5	701	561	468	8,5			

POTASSIUM CHLORIDE 60%												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						
2,5	0,0	N	1	4	5	0	0	0	7			
5	0,7	N	1	4	5	3	2	2	7			
7,5	3,4	N	1	4	5	13	10	9	7			
10	8,9	N	1	4	5	34	27	22	7			
12,5	16,7	N	1	4	5	63	50	42	7			
15	29,5	M	1	4	5	111	89	74	7			
17,5	43,1	M	1	4	5	162	129	108	7			
20	63,9	M	1	4	5	240	192	160	7			
22,5	85,2	M	1	4	5	319	255	213	7			
25	116,6	M	1	4	5	437	350	292	7			
27,5	144,3	M	1	4	5	541	433	361	7			
30	172,0	L	1	4	5	645	516	430	7			
32,5	192,0	L	1	4	5	720	576	480	7			
35	210,4	L	1	4	5	789	631	526	7			
37,5	224,0	L	1	4	5	840	672	560	7			
40	237,7	L	1	4	5	891	713	594	6,5			
42,5	246,6	L	1	4	5	925	740	617	6,5			
45	252,6	L	1	4	5	947	758	632	6,5			

SUPERPHOSPHATE 19												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						
2,5	0,7	O	2	4	6	3	2	2	7			
5	2,7	O	2	4	6	10	8	7	7			
7,5	6	O	2	4	6	23	18	15	7			
10	10,5	O	2	4	6	39	32	26	7			
12,5	16,2	O	2	4	6	61	49	41	7			
15	23,9	O	2	4	6	90	72	60	7			
17,5	38,5	N	2	4	6	144	116	96	7			
20	57,7	N	2	4	6	216	173	144	7			
22,5	78,4	N	2	4	6	294	235	196	7			
25	95,5	N	2	4	6	358	287	239	7			
27,5	123,4	N	2	4	6	463	370	309	7			
30	154,1	M	2	4	6	578	462	385	6,5			
32,5	178,3	M	2	4	6	669	535	446	6,5			
35	212,8	M	2	4	6	798	638	532	6,5			
37,5	248,8	M	2	4	6	933	746	622	6,5			
40	280	M	2	4	6	1050	840	700	6,5			
42,5	298,8	M	2	4	6	1121	896	747	6,5			
45	309	M	2	4	6	1159	927	773	6,5			

UREA PRILLED AGRICOLA												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						

BIAMMONIUM PHOSPHATE 18-46												
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.				
			A	B	8	10	12					
			W	kg/ha	kg/ha	kg/ha						
2,5	0,6	P	1	4	6	2	2	2	8,5			
5	2,4	P	1	4	6	9	7	6	8,5			
7,5	5,3	P	1	4	6	20	16	13	8,5			
10	9,3	P	1	4	6	35	28	23	8,5			
12,5	14,3	P	1	4	6	54	43	36	8,5			
15	20,1	P	1	4	6	75	60	50	8,5			
17,5	32,8	P	1	4	6	123	98	82	8,5			
20	48,5	O	1	4	6	182	146	121	8,5			
22,5	67,8	O	1	4	6	254	203	170	8,5			
25	82,6	O	1	4	6	310	248	207	8,5			
27,5	107,6	O	1	4	6	404	323	269	8,5			
30	135,6	O	1	4	6	509	407	339	8,5			
32,5	167,4	O	1	4	6	628	502	419	8,5			
35	190	N	1	4	6	713	570	475	8,5			
37,5	222,4	N	1	4	6	834	667	556	8,5			
40	253	N	1	4	6	949	759	633	8,5			
42,5	270	N	1	4	6	1013	810	675	8,5			
45	279	N	1	4	6	1046	837	698	8,5			

For the border spreading keep a distance from the edge of the field of 10 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

20 Metres

NITRATE 27%									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
2.5	0.6	P	1	3	6	2	2	2	8.5
5	2.5	P	1	3	6	9	8	6	8.5
7.5	5.7	P	1	3	6	21	17	14	8.5
10	9.9	P	1	3	6	37	30	25	8.5
12.5	15.3	P	1	3	6	57	46	38	8.5
15	22.4	P	1	3	6	84	67	56	8.5
17.5	35	P	1	3	6	131	105	88	8.5
20	51.6	O	1	3	6	194	155	129	8.5
22.5	72.2	O	1	3	6	271	217	181	8.5
25	88	O	1	3	6	330	264	220	8.5
27.5	114.6	O	1	3	6	430	344	287	8.5
30	144.4	O	1	3	6	542	433	361	8.5
32.5	178.3	O	1	3	6	669	535	446	8.5
35	202.4	N	1	3	6	759	607	506	8.5
37.5	236.7	N	1	3	6	888	710	592	8.5
40	269.5	N	1	3	6	1011	809	674	8.5
42.5	287.5	N	1	3	6	1078	863	719	8.5
45	297.2	N	1	3	6	1115	892	743	8.5

NPK									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	8	10	12		
2.5	0.0	T	1	5	7	0	0	0	8
5	1.1	T	1	5	7	4	3	3	8
7.5	5.5	T	1	5	7	20	16	14	8
10	13.1	T	1	5	7	49	39	33	8
12.5	23.3	S	1	5	7	87	70	58	8
15	36.2	S	1	5	7	136	109	90	8
17.5	48.9	S	1	5	7	184	147	122	8
20	69.8	R	1	5	7	262	209	174	8
22.5	90.9	R	1	5	7	341	273	227	8
25	121.3	Q	1	5	7	455	364	303	8
27.5	147.6	Q	1	5	7	554	443	369	8
30	173.6	Q	1	5	7	651	521	434	8
32.5	195.1	P	1	5	7	732	585	488	8
35	217.0	P	1	5	7	814	651	543	8
37.5	232.1	P	1	5	7	870	696	580	8
40	247.2	P	1	5	7	927	742	618	8
42.5	258.1	0	1	5	7	968	774	645	8
45	265.3	0	1	5	7	995	796	663	8

UREA PRILLED Fertiliser									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	6	8	10		
2.5	0.0	O	1	4	6	0	0	0	8.5
5	0.8	O	1	4	6	4	3	3	8.5
7.5	4.2	N	1	4	6	21	16	13	8.5
10	10.1	N	1	4	6	50	38	30	8.5
12.5	17.9	N	1	4	6	90	67	54	8.5
15	27.9	N	1	4	6	140	105	84	8.5
17.5	37.7	N	1	4	6	189	141	113	8.5
20	53.8	M	1	4	6	269	202	161	8.5
22.5	70.1	M	1	4	6	350	263	210	8.5
25	93.5	M	1	4	6	467	351	280	8.5
27.5	113.8	M	1	4	6	569	427	341	8.5
30	133.8	M	1	4	6	669	502	401	8
32.5	150.4	L	1	4	6	752	564	451	8
35	167.3	L	1	4	6	836	627	502	8
37.5	178.9	L	1	4	6	894	671	537	8
40	190.6	L	1	4	6	953	715	572	8
42.5	198.9	L	1	4	6	995	746	597	8
45	204.5	L	1	4	6	1022	767	613	8

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.
			A	B	8	10	12	
2.5								
5								
7.5								
10								
12.5								
15								
17.5								
20								
22.5								
25								
27.5								
30								
32.5								
35								
37.5								
40								
42.5								
45								

For the border spreading keep a distance from the edge of the field of 10 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.



24 m

SPREADING TABLES




**CX
CX-P
1500/2150/2400/2800/3200**



NORMAL SPREADING

24 Meters



ADJUSTMENT TABLE

				P.T.O
			N° holes per blade	Rev/min
1	AMMONIUM NITRATE 33,5% N	See drop point	See W	550
2	UREA	See drop point	See W	540
3	POTASSIUM CHLORIDE 60%	See drop point	See W	600
4	SUPERPHOSPHATE 19	See drop point	See W	540
5	UREA PRILLED AGRICOLA	See drop point	See W	540
6	BIAMMONIUM PHOSPHATE 18-46	See drop point	See W	540
7	NITRATE 27%	See drop point	See W	540
8	NPK	See drop point	See W	540



P.T.O

Rev/min

N° holes per blade

See W

See W

See W

See W

See W

See W

See W

See W

See W

See W

See W

See W

NORMAL SPREADING

24 Metres

AMMONIUM NITRATE 33,5% N									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2,5	0,0	T	1	4	6	0	0	0	6,5
5	0,7	T	1	4	6	2	2	2	6,5
7,5	3,7	T	1	4	6	12	9	8	6,5
10	9,0	T	1	4	6	28	23	19	6,5
12,5	16,1	T	1	4	6	50	40	33	6,5
15	28,5	Q	1	4	6	89	71	59	6,5
17,5	41,9	Q	1	4	6	131	105	87	6,5
20	61,9	Q	1	4	6	193	155	129	6,5
22,5	80,8	Q	1	4	6	253	202	168	6,5
25	101,6	Q	1	4	6	318	254	212	6,5
27,5	123,0	N	1	4	6	384	307	256	6,5
30	148,4	N	1	4	6	467	373	311	6,5
32,5	170,5	N	1	4	6	533	426	355	6,5
35	191,7	M	1	4	6	599	479	399	6,5
37,5	202,9	M	1	4	6	634	507	423	6
40	212,9	M	1	4	6	665	532	443	6
42,5	215,2	L	1	4	6	673	538	448	6
45	216,8	L	1	4	6	678	542	452	6

2

UREA									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2,5	0,0	U	1	3	5	0	0	0	7,5
5	0,5	U	1	3	5	2	1	1	7,5
7,5	2,6	U	1	3	5	8	6	5	7,5
10	6,4	U	1	3	5	20	16	13	7,5
12,5	11,6	U	1	3	5	36	29	24	7,5
15	20,7	T	1	3	5	65	52	43	7,5
17,5	30,5	T	1	3	5	95	76	64	7,5
20	45,8	T	1	3	5	143	114	95	7,5
22,5	60,6	T	1	3	5	189	152	126	7,5
25	79,3	Q	1	3	5	248	198	165	7,5
27,5	97,8	Q	1	3	5	306	244	204	7,5
30	119,5	Q	1	3	5	374	299	249	7,5
32,5	136,2	Q	1	3	5	426	340	284	7,5
35	152,4	Q	1	3	5	476	381	317	7
37,5	163,4	P	1	3	5	511	408	340	7
40	174,4	P	1	3	5	545	436	363	7
42,5	182,0	P	1	3	5	569	455	379	7
45	187,0	P	1	3	5	585	468	390	7

3

POTASSIUM CHLORIDE 60%									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2,5	0,0	N	1	4	5	0	0	0	6,5
5	0,7	N	1	4	5	2	2	1	6,5
7,5	3,4	N	1	4	5	11	9	7	6,5
10	8,9	N	1	4	5	28	22	19	6,5
12,5	16,7	N	1	4	5	52	42	35	6,5
15	29,5	M	1	4	5	92	74	62	6,5
17,5	43,1	M	1	4	5	135	108	90	6,5
20	63,9	M	1	4	5	200	160	133	6,5
22,5	85,2	M	1	4	5	266	213	177	6,5
25	116,6	M	1	4	5	364	292	243	6,5
27,5	144,3	M	1	4	5	451	361	301	6,5
30	172,0	L	1	4	5	538	430	358	6,5
32,5	192,0	L	1	4	5	600	480	400	6,5
35	210,4	L	1	4	5	658	526	438	6,5
37,5	224,0	L	1	4	5	700	560	467	6,5
40	237,7	L	1	4	5	743	594	495	6
42,5	246,6	L	1	4	5	771	617	514	6
45	252,6	L	1	4	5	790	632	526	6

SUPERPHOSPHATE 19									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2,5	0,7	O	2	4	6	2	2	1	6,5
5	2,7	O	2	4	6	8	7	6	6,5
7,5	6	O	2	4	6	19	15	13	6,5
10	10,5	O	2	4	6	33	26	22	6,5
12,5	16,2	O	2	4	6	51	41	34	6,5
15	23,9	O	2	4	6	75	60	50	6,5
17,5	38,5	N	2	4	6	120	96	80	6,5
20	57,7	N	2	4	6	180	144	120	6,5
22,5	78,4	N	2	4	6	245	196	163	6,5
25	95,5	N	2	4	6	298	239	199	6,5
27,5	123,4	N	2	4	6	386	309	257	6,5
30	154,1	M	2	4	6	482	385	321	6,5
32,5	178,3	M	2	4	6	557	446	371	6,5
35	212,8	M	2	4	6	665	532	443	6,5
37,5	248,8	M	2	4	6	778	622	518	6,5
40	280	M	2	4	6	875	700	583	6,5
42,5	298,8	M	2	4	6	934	747	623	6,5
45	309	M	2	4	6	966	773	644	6,5

4

AGROMARTIN PELLETT									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	6	8		10
2,5	0,0	N	3	4	6	0	0	0	7
5	0,4	N	3	4	6	2	1	1	7
7,5	2,0	N	3	4	6	8	6	5	7
10	4,8	N	3	4	6	20	15	12	7
12,5	8,6	N	3	4	6	36	27	21	7
15	13,4	N	3	4	6	56	42	33	7
17,5	18,1	N	3	4	6	75	57	45	7
20	25,8	N	3	4	6	108	81	65	7
22,5	33,6	N	3	4	6	140	105	84	7
25	44,9	N	3	4	6	187	140	112	7
27,5	54,6	N	3	4	6	227	171	136	7
30	64,2	M	3	4	6	267	201	160	7
32,5	72,1	M	3	4	6	301	225	180	7
35	80,3	M	3	4	6	334	251	201	7
37,5	85,8	M	3	4	6	358	268	215	6,5
40	91,4	M	3	4	6	381	286	229	6,5
42,5	95,4	M	3	4	6	398	298	239	6,5
45	98,1	M	3	4	6	409	307	245	6,5

5

BIAMMONIUM PHOSPHATE 18-46									
Opening lever	kg/min	Drop point	Blade position		Speed (km/h)			Border deflector position.	
			A	B	W	8	10		12
2,5	0,6	P	1	4	6	2	2	1	8
5	2,4	P	1	4	6	8	6	5	8
7,5	5,3	P	1	4	6	17	13	11	8
10	9,3	P	1	4	6	29	23	19	8
12,5	14,3	P	1	4	6	45	36	30	8
15	20,1	P	1	4	6	63	50	42	8
17,5	32,8	P	1	4	6	103	82	68	8
20	48,5	O	1	4	6	152	121	101	8
22,5	67,8	O	1	4	6	212	170	141	8
25	82,6	O	1	4	6	258	207	172	8
27,5	107,6	O	1	4	6	336	269	224	8
30	135,6	O	1	4	6	424	339	283	8
32,5	167,4	O	1	4	6	523	419	349	8
35	190	N	1	4	6	594	475	396	8
37,5	222,4	N	1	4	6	695	556	463	8
40	253	N	1	4	6	791	633	527	8
42,5	270	N	1	4	6	844	675	563	8
45	279	N	1	4	6	872	698	581	8

6

For the border spreading keep a distance from the edge of the field of 12 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.

NORMAL SPREADING

24 Metres

7

NITRATE 27%

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5	0.6	P	1	3	6	2	2	1	7.5
5	2.5	P	1	3	6	8	6	5	7.5
7.5	5.7	P	1	3	6	18	14	12	7.5
10	9.9	P	1	3	6	31	25	21	7.5
12.5	15.3	P	1	3	6	48	38	32	7.5
15	22.4	P	1	3	6	70	56	47	7.5
17.5	35	P	1	3	6	109	88	73	7.5
20	51.6	O	1	3	6	161	129	108	7.5
22.5	72.2	O	1	3	6	226	181	150	7.5
25	88	O	1	3	6	275	220	183	7.5
27.5	114.6	O	1	3	6	358	287	239	7.5
30	144.4	O	1	3	6	451	361	301	7.5
32.5	178.3	O	1	3	6	557	446	371	7.5
35	202.4	N	1	3	6	633	506	422	7
37.5	236.7	N	1	3	6	740	592	493	7
40	269.5	N	1	3	6	842	674	561	7
42.5	287.5	N	1	3	6	898	719	599	7
45	297.2	N	1	3	6	929	743	619	7

8

NPK

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5	0.0	T	1	5	7	0	0	0	8
5	1.1	T	1	5	7	3	3	2	8
7.5	5.5	T	1	5	7	17	14	11	8
10	13.1	T	1	5	7	41	33	27	8
12.5	23.3	S	1	5	7	73	58	48	8
15	36.2	S	1	5	7	113	90	75	8
17.5	48.9	S	1	5	7	153	122	102	8
20	69.8	R	1	5	7	218	174	145	8
22.5	90.9	R	1	5	7	284	227	189	8
25	121.3	Q	1	5	7	379	303	253	8
27.5	147.6	Q	1	5	7	461	369	308	8
30	173.6	Q	1	5	7	542	434	362	8
32.5	195.1	P	1	5	7	610	488	406	7.5
35	217.0	P	1	5	7	678	543	452	7.5
37.5	232.1	P	1	5	7	725	580	484	7.5
40	247.2	P	1	5	7	773	618	515	7.5
42.5	258.1	0	1	5	7	806	645	538	7.5
45	265.3	0	1	5	7	829	663	553	7.5

9

UREA GRANULATE YARA

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	6	8	10	
2.5	0.0	T	3	4	6	0	0	0	7.5
5	0.7	T	3	4	6	3	2	2	7.5
7.5	3.3	T	3	4	6	14	10	8	7.5
10	7.9	S	3	4	6	33	25	20	7.5
12.5	14.1	S	3	4	6	59	44	35	7.5
15	22.0	S	3	4	6	92	69	55	7.5
17.5	29.7	S	3	4	6	124	93	74	7.5
20	42.4	Q	3	4	6	177	132	106	7.5
22.5	55.2	Q	3	4	6	230	173	138	7.5
25	73.6	Q	3	4	6	307	230	184	7.5
27.5	89.6	Q	3	4	6	373	280	224	7.5
30	105.4	P	3	4	6	439	329	263	7.5
32.5	118.4	P	3	4	6	494	370	296	7.5
35	131.8	P	3	4	6	549	412	329	7.5
37.5	140.9	N	3	4	6	587	440	352	7
40	150.1	N	3	4	6	626	469	375	7
42.5	156.7	N	3	4	6	653	490	392	7
45	161.1	N	3	4	6	671	503	403	7

10

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

11

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

12

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

For the border spreading keep a distance from the edge of the field of 12 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.



28 m

SPREADING TABLES

**CX
CX-P
1500/2150/2400/2800/3200**

NORMAL SPREADING

28 Meters



ADJUSTMENT TABLE

<p>90 cm</p>			P.T.O
1 AMMONIUM NITRATE 33,5% N	See drop point	See W	540
2 AGOMARTIN PELLETT	See drop point	See W	540
3 POTASSIUM CHLORIDE 60%	See drop point	See W	600
4 SUPERPHOSPHATE 19	See drop point	See W	540
5 UREA PRILLED AGRICOLA	See drop point	See W	540
6 BIAMMONIUM PHOSPHATE 18-46	See drop point	See W	540
7 NITRATE 27%	See drop point	See W	540
8 NPK	See drop point	See W	540

NORMAL SPREADING

28 Metres

7

NITRATE 27%

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5	0.6	M	1	3	6	2	1	1	6.5
5	2.5	M	1	3	6	7	5	4	6.5
7.5	5.7	M	1	3	6	15	12	10	6.5
10	9.9	M	1	3	6	27	21	18	6.5
12.5	15.3	M	1	3	6	41	33	27	6.5
15	22.4	M	1	3	6	60	48	40	6.5
17.5	35	M	1	3	6	94	75	63	6.5
20	51.6	L	1	3	6	138	111	92	6.5
22.5	72.2	L	1	3	6	193	155	129	6
25	88	L	1	3	6	236	189	157	6
27.5	114.6	L	1	3	6	307	246	205	6
30	144.4	L	1	3	6	387	309	258	6
32.5	178.3	L	1	3	6	478	382	318	6
35	202.4	I	1	3	6	542	434	361	6
37.5	236.7	I	1	3	6	634	507	423	6
40	269.5	I	1	3	6	722	578	481	6
42.5	287.5	I	1	3	6	770	616	513	6
45	297.2	I	1	3	6	796	637	531	6

8

NPK

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5	0.0	O	1	4	7	0	0	0	5.5
5	1.1	O	1	4	7	3	2	2	5.5
7.5	5.5	O	1	4	7	15	12	10	5.5
10	13.1	O	1	4	7	35	28	23	5.5
12.5	23.3	O	1	4	7	62	50	42	5.5
15	36.2	O	1	4	7	97	78	65	5.5
17.5	48.9	O	1	4	7	131	105	87	5.5
20	69.8	O	1	4	7	187	150	125	5.5
22.5	90.9	O	1	4	7	244	195	162	5.5
25	121.3	O	1	4	7	325	260	217	5.5
27.5	147.6	O	1	4	7	395	316	264	5.5
30	173.6	O	1	4	7	465	372	310	5.5
32.5	195.1	O	1	4	7	523	418	348	5.5
35	217.0	O	1	4	7	581	465	388	5.5
37.5	232.1	O	1	4	7	622	497	414	5.5
40	247.2	O	1	4	7	662	530	442	5.5
42.5	258.1	O	1	4	7	691	553	461	5.5
45	265.3	O	1	4	7	711	568	474	5.5

9

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

10

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

11

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

12

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2.5									
5									
7.5									
10									
12.5									
15									
17.5									
20									
22.5									
25									
27.5									
30									
32.5									
35									
37.5									
40									
42.5									
45									

For the border spreading keep a distance from the edge of the field of 14 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.



32 m

SPREADING TABLES

**CX
CX-P
1500/2150/2400/2800/3200**

NORMAL SPREADING

32 Meters



ADJUSTMENT TABLE

<p>90 cm</p>		<p>P.T.O</p>
<p>1 AMMONIUM NITRATE 33,5% N</p>	<p>See drop point</p>	<p>N° holes per blade Rev/min</p> <p>See W 600</p>
<p>4 SUPERPHOSPHATE 19</p>	<p>See drop point</p>	<p>See W 600</p>
<p>5 UREA PRILLED AGRICOLA</p>	<p>See drop point</p>	<p>See W 600</p>
<p>6 BIAMMONIUM PHOSPHATE 18-46</p>	<p>See drop point</p>	<p>See W 600</p>
<p>7 NITRATE 27%</p>	<p>See drop point</p>	<p>See W 600</p>
<p>8 NPK</p>	<p>See drop point</p>	<p>See W 600</p>

NORMAL SPREADING

32 Metres

7

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

8

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

9

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

10

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

11

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

12

Opening lever	kg/min	Drop point	Blade position			Speed (km/h)			Border deflector position.
			A	B	W	8	10	12	
2,5									
5									
7,5									
10									
12,5									
15									
17,5									
20									
22,5									
25									
27,5									
30									
32,5									
35									
37,5									
40									
42,5									
45									

For the border spreading keep a distance from the edge of the field of 16 meters from the central tractor axle and provide for a 30% reduction of fertilizer dose on the border side.



36 m

SPREADING TABLES




**CX
CX-P
1500/2150/2400/2800/3200**

NORMAL SPREADING

36 Meters



ADJUSTMENT TABLE

			<p>P.T.O</p>
<p>1 AMMONIUM NITRATE 33.5% N</p>	<p>See drop point</p>	<p>N° holes per blade</p>	<p>Rev/min</p>
<p>4 SUPERPHOSPHATE 19</p>	<p>See drop point</p>	<p>See W</p>	<p>600</p>
<p>5 UREA PRILLED AGRICOLA</p>	<p>See drop point</p>	<p>See W</p>	<p>600</p>
<p>6 BIAMMONIUM PHOSPHATE 18-46</p>	<p>See drop point</p>	<p>See W</p>	<p>600</p>
<p>7 NITRATE 27%</p>	<p>See drop point</p>	<p>See W</p>	<p>600</p>
<p>8 NPK</p>	<p>See drop point</p>	<p>See W</p>	<p>600</p>



COSMO S.r.l.

Via Laghi di Avigliana 117

12022 Busca - CN - ITALY

Tel. +39 0171 946654

Fax. +39 0171 946723

E-mail: imcosmo@cosmosrl.com

www.cosmosrl.com

CX

CX-P

1500/2150/2400/2800/3200